




Figure 1.



wherein

$R^1$ ,  $R^2$  and  $R^3$  are each independently of the others an aliphatic hydrocarbon radical having from 7 to 21 carbon atoms,

$n$  is 0 or 1,

As is the amidically bonded residue of a (D)- or (L)-amino acid or of a (D)- or (L)-amino acid derivative from the group consisting of Gly, Ala, Ser, Thr, Asp, Asp( $R^5$ ), Glu, Glu( $R^5$ ), Gla, Gla( $R^5$ ) and Gla( $R^5$ )<sub>2</sub>, and

$R^4$  and  $R^5$  are each independently of the other the amidically bonded radical of an unsubstituted or carboxy-substituted  $\alpha$ -amino-C<sub>2</sub>-C<sub>3</sub>alkanesulfonic acid.

10620443/60

[illegible][illegible]

10E20249/60




Figure 3

2020-04-20




Figure 4

MLV-JT3002

- 10' 20' 30' 4h 24h

(A)

133

71

42

31

kDa



45 kD  
41 kD  
39 kD

$\beta$ -actin



IFN  $\gamma$

LPS

MLV-JT3002

+ + - + + + + +  
- 15' - - - - -  
- - - 5' 10' 20' 30' 120'

(B)

133

71

42

31

kDa



45 kD  
41 kD  
39 kD

$\beta$ -actin




Figure 5

2020-09-26







Figure 6




Figure 7




Figure 8






Figure 9




Figure 10

20250604060




Figure 11

2020-04-26




Figure 12

FOUO 9454260




Figure 13




Figure 14

2000-04-26




Figure 15




Figure 16



2020-05-26




Figure 17

2002-09-26




Figure 18

095449Z60




Figure 19

COPY

CONFIDENTIAL

PBS followed by CPT-11

Oral MTP-PE followed by CPT




Figure 20

FOE20-94549260

COPY CONFIDENTIAL





Figure 21

09754545-072301

FOE220:94549/60

# ILEUM



# IL-15 RT-PCR




Fig 23